

Slater & Matsil, L.L.P.

Suite 1000
17950 Preston Road
Dallas, Texas 75252-5793
Phone: 972-732-1001 Facsimile: 972-732-9218

RECEIVED
CENTRAL FAX CENTER

NOV 15 2005

FACSIMILE COVER SHEET

To Examiner: Andy Huynh	Total Pages Sent: 13
Technology Center 2800	(including cover sheet)
Facsimile Number: (571) 273-8300	Transmission Date: November 15, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Seitz, *et al.* Docket No.: 1115747-0002/2002P50543US
Serial No.: 10/777,332 Art Unit: 2818
Date Filed: February 11, 2004
TITLE: DRAM With Very Shallow Trench Isolation

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following papers are being transmitted by facsimile to Mail Stop Amendment at the U.S. Patent and Trademark Office at (571) 273-8300 on November 15, 2005:

- Certification of Facsimile Transmission (1 page)
- Amendment (12 pages)

Respectfully submitted,



Kristy Engeldahl
Legal Assistant

Confirmation Respectfully Requested

This facsimile is intended only for the use of the address named and contains legally privileged and/or confidential information. If you are not the intended recipient of this telecopy, you are hereby notified that any dissemination, distribution, copying or use of this communication is strictly prohibited. Applicable privileges are not waived by virtue of the document having been transmitted by Facsimile. Any misdirected facsimiles should be returned to the sender by mail at the address indicated on this cover sheet.

CENTRAL FAX CENTER

NOV 15 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Seitz, *et al.* Docket No.: 1115747-0002/2002P50543US
Serial No.: 10/777,332 Art Unit: 2818
Filed: February 11, 2004 Examiner: Andy Huynh
For: DRAM With Very Shallow Trench Isolation

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT

Dear Sir:

The following amendments and remarks are presented in response to the Examiner's Office Action mailed August 15, 2005. Please amend the above-referenced application as follows.